


# MAGRON FERROFLUID

MAGRON  
August 2023

## Waterproof Mag-oil



# Mag-oil for magsealed reel repair

The reel with magnetic fluid inside the fishing reel is commercialized.

When the fish reel is filled with magnetic fluid, the magnetic fluid forms an oil ring inside it.

The magnetic fluid oil ring acts as a water proof when turning. Prevent corrosion by preventing the ingress of sea water and river water for a period of time.

This increases the lifespan of the equipment.


## ● What is Mag-oil?

Mag-oil:



Magnetic fluid is essentially a Superparamagnetic fluid, composed of 10 nanometers of magnetic particles and oil. Water and salt are highly soluble substances. Our products are purpose-built Mac-oil to withstand these soluble and corrosive substances. In particular, sea water salt reduce the life span of the Reel. But Mac-oil can prevent it. Thus, Mac-oil is more effective in sea water.

Our current product has been validated by a number of Reel repair companies over the years.

## ● Principle of waterproofing



## ● Description of waterproofing inside the reel



## Product guide

Bottle Type 0.7 ml

- Metal case + Ferrofluid bottle + Instruction manual
- Small quantity purchase is possible, please contact the head office for bulk purchase.

★ Based on Mag-oil 0.7ml criteria, it can overhaul around 45 times  
 $0.7\text{ml} = W7 \times L7 \times H7(\text{mm}) = \text{Quantity of } 7\text{mm}^3$



# Instructions for use

Youtube -

[How to repair Mag-oil into DAIWA  
Magsealed reel series]

<https://youtu.be/ejkORyBQZZs>



You can learn how to use Mag-oil more easily through this video.



**You can make an order with the specifications you want.**

We constantly develop and release new products.

Please contact us.



## Company information

Address	#403 - 3 dong, Gyeonggi Technopark, 705 Hae-an-ro, Sangnok-gu, Ansan-Si, Gyeonggi-do, Republic of South Korea Post code : 15588	
Contact	TEL)+82 31-500-4632	
Mail address	magron@magron.co.kr	FAX)031-500-4631
Website	(KO) www.magron.co.kr	(EN) www.ferrozone.co.kr